

## Child Health Profile March 2019

## Cambridgeshire


This profile provides a snapshot of child health in this area. It is designed to help local government and health services improve the health and wellbeing of children and tackle health inequalities.

#### The child population in this area

		Local	Region	England
Live births (2017)	6,894	70,725	646,794	
Children aged 0 to 4 years (2017)		37,800	375,200	3,384,900
		5.8%	6.1%	6.1%
Children aged 0 to 19 years (2017)		150,900	1,457,700	13,169,100
		23.3%	23.6%	23.7%
Children aged 0 to 19 years in 2027 (projected)		158,600	1,567,400	13,904,800
		23.3%	23.7%	23.7%
School children from minority ethnic groups (2018)		19,037	226,349	2,544,753
		23.0%	25.7%	32.3%
School pupils with social, emotional and mental health needs (2018)		1,869 2.2%	20,526 2.3%	193,657 2.4%
Children living in poverty aged under 16 years (2016)		11.6%	14.1%	17.0%
Life expectancy at birth (2015-2017)	Boys	81.0	80.4	79.6
	Girls	84.3	83.7	83.1

#### Children living in poverty

Map of the East of England, with Cambridgeshire outlined, showing the relative levels of children living in poverty.



Map contains Ordnance Survey data.

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit OGL. Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

#### Key findings

Overall, comparing local indicators with England averages, the health and wellbeing of children in Cambridgeshire is better than England.

The infant mortality rate is similar to England with an average of 24 infants dying before age 1 each year. Recently there have been 13 child deaths (1-17 year olds) each year on average.

Public health interventions can improve child health at a local level. In this area:

- The teenage pregnancy rate is better than England, with 126 girls becoming pregnant in a year.
- 11.5% of women smoke while pregnant which is similar to England.
- Breastfeeding data is not available for this area.
- The MMR immunisation level does not meet recommended coverage (95%). By age two, 93.4% of children have had one dose.
- Dental health is better than England. 12.9% of 5 year olds have one or more decayed, filled or missing teeth.
- Levels of child obesity are better than England. 6.5% of children in Reception and 15.1% of children in Year 6 are obese.

• The rate of child inpatient admissions for mental health conditions at 68.4 per 100,000 is better than England.The rate for self-harm at 662.7 per 100,000 is worse than England.

By age two, 96.2% of children have had Dtap / IPV / Hib immunisation, meeting minimum recommended coverage (95%). 75.1% of children in care are up to date with their immunisations, which is worse than England.


71.2% of children have achieved a good level of development at the end of Reception (similar to England).

## Cambridgeshire Child Health Profile


#### **Childhood obesity**

These charts show the percentage of children who have excess weight (obese or overweight) in Reception (aged 4-5 years) and Year 6 (aged 10-11 years). They compare Cambridgeshire with its statistical neighbours, and the England average. Compared with the England average, this area has a better percentage of children in Reception (17.5%) and a better percentage in Year 6 (28.4%) who have excess weight.

## Children aged 4-5 years who have excess weight, 2017/18 (percentage)



Children aged 10-11 years who have excess weight, 2017/18 (percentage)




Note: This analysis uses the 85th and 95th centiles of the British 1990 growth reference (UK90) for BMI to classify children as overweight and obese. I indicates 95% confidence interval.

#### Young people and alcohol

Nationally, the rate of hospital admissions of children and young people for conditions wholly related to alcohol is decreasing, however, this is not the case in Cambridgeshire. The admission rate in the latest period is similar to the England average.


#### Hospital admissions of children and young people for conditions wholly related to alcohol (rate per 100,000 population aged 0-17 years)



#### Young people's mental health

Nationally, the rate of young people being admitted to hospital as a result of self-harm is increasing, and this is also the case in Cambridgeshire. The admission rate in the latest pooled period is also higher than the England average\*. Nationally, levels of self-harm are higher among young women than young men.

# Young people aged 10 to 24 years admitted to hospital as a result of self-harm (rate per 100,000 population aged 10-24 years)




\*Information about admissions in the single year 2017/18 can be found on page 4

### Cambridgeshire Child Health Profile


These charts compare Cambridgeshire with its statistical neighbours, and the England and regional averages.

# Teenage conceptions in girls aged under 18 years, 2016 (rate per 1,000 female population aged 15-17 years)



In 2016, approximately 12 girls aged under 18 conceived, for every 1,000 girls aged 15-17 years living in this area. This is lower than the regional average (approximately 17 per 1,000). The area has a lower teenage conception rate compared with the England average (approximately 19 per 1,000).


# Chlamydia detection, 2017 (rate per 100,000 young people aged 15-24 years)



Chlamydia screening is recommended for all sexually active 15-24 year olds. Increasing detection rates indicates better targeting of screening activity; it is not a measure of prevalence. Areas should work towards a detection rate of at least 2,300 per 100,000 population. In 2017, the detection rate in this area was 1,217 which is lower than the minimum recommended rate.


The shaded area from 1,900 shows the range of values approaching the minimum recommended rate of 2,300 (the black line).

# Breastfeeding at 6 to 8 weeks, 2017/18 (percentage of infants due 6 to 8 week checks)



Breastfeeding data is not available for this area.

#### Measles, mumps and rubella (MMR) vaccination coverage by age 2 years, 2017/18 (percentage of eligible children)



Slightly less than 95% (the minimum recommended coverage level) of children have received their first dose of immunisation by the age of two in this area (93.4%). By the age of five, only 88.7% of children have received their second dose of MMR immunisation.

The shaded area from 90% shows the range of values approaching the minimum recommended coverage of 95% (the black line).

Note: Where data is not available or figures have been suppressed, no bar will appear in the chart for that area.

## Cambridgeshire Child Health Profile

3 MMR vaccination for one dose (2 years) ≥95%

6 Children achieving a good level of development at the end of reception

8 GCSE attainment: average Attainment 8 score of children in care

14 Children killed and seriously injured (KSI) on England's roads

18 Children with one or more decayed, missing or filled teeth

22 Admission episodes for alcohol-specific conditions - under 18s 23 Hospital admissions due to substance misuse (15-24 years)

28 Hospital admissions caused by injuries in children (0-14 years)

29 Hospital admissions caused by injuries in young people (15-24 years)

19 Hospital admissions for dental caries (0-5 years)

9 16-17 year olds not in education, employment or training

## March 201

The chart below shows how children's health and wellbeing in this area comp circle, against the range of results for England shown as a grey bar. The line

 $\cap$ 

90% to 95%

No significant change

Indicator

1 Infant mortality

Premature

Wider determinants

health

mprovement

Health

<sup>></sup>revention

ill healtl

Ť

orotection Health

- $\bigcirc$ Not significantly Significantly bett
- Increasing / decreasing and getting better ΤL ΛL Increasing / decreasing and getting worse
- Trend cannot be calculated

2 Child mortality rate (1-17 years)

12 Family homelessness

15 Low birth weight of term babies

16 Obese children (4-5 years)

20 Under 18 conceptions 21 Teenage mothers

25 Breastfeeding initiation

27 A&E attendances (0-4 years)

17 Obese children (10-11 years)

24 Smoking status at time of delivery

13 Children in care

4 Dtap / IPV / Hib vaccination (2 years) 5 Children in care immunisations

7 GCSE attainment: average Attainment 8 score

10 First time entrants to the youth justice system

11 Children in low income families (under 16 years)

Significantly wor Significance can

						Iviar	
•			-		ocal result for each England average.	indicator is	shown as a
ly di	fferent fr	om the E	England	average			
ette	r than Er	Igland av	verage		England a	average	Regional average
orse	e than Er	ngland av	verage	- I			
anno	ot be test	ted			25th percentile	75tł percer	
	ocal no. er year*	Local value	Eng. ave.	Eng. worst	percentile	percer	Eng. best
Ŷ	24	3.3	3.9	8.1		$\diamond$	1.7
-	13	10.5	11.2	24.3			7.5
↑	7,216	93.4	91.2	75.0		$\bigcirc$	96.9
Ť	7,440	96.2	95.1	83.7		$\bigcirc$	98.5
$\leftrightarrow$	340	75.1	85.3	5.7			100.0
1	5,228	71.2	71.5	63.9			80.5
•	-	48.1	46.7	39.8		$\mathbf{O}$	55.8
-	-	17.9	19.3	0.0	0		33.9
•	390	3.2	6.0	24.4		$\mathbf{O}$	1.9
1	181	321.8	292.5	687.0			104.4
1	12,725	11.6	17.0	31.8			6.4
$\leftrightarrow$	479	1.8	1.7	7.7			0.1
↑	705	52	64	185		$\mathbf{O}$	23
•	17	14.2	17.4	41.7		Q	2.6
$\leftrightarrow$	158	2.5	2.8	5.3		<b>O</b>	1.6
1	443	6.5	9.5	14.4			4.9
1	922	15.1	20.1	29.7			11.4
•	-	12.9	23.3	47.1			12.9
7	5	10.8	325.1	1,612.1		O_	10.8
1	126	12.2	18.8	36.5			4.6
1	39	0.6	0.7	2.1		$\bigcirc$	0.2
$\leftrightarrow$	51	37.9	32.9	106.5			7.4
•	61	75.6	87.9	329.3			33.1
1	720	11.5	10.8	26.0			2.0
•	-	-	74.5	37.9			96.7
•	-	-	42.7	0.9			81.6
Ţ	16,478	435.6	619.0	2,011.3		$\mathbf{O}$	321.3
$\downarrow$	860	75.6	96.4	203.7			46.5

30 Hospital admissions for asthma (under 19 years)

26 Breastfeeding prevalence at 6-8 weeks after birth

31 Hospital admissions for mental health conditions 32 Hospital admissions as a result of self-harm (10-24 years)

↑ 421.2 1,009.6 \*Numbers in italics are calculated by dividing the total number for the three year period by three to give an average figure Where data is not available or figures have been suppressed, this is indicated by a dash in the appropriate box

132.7

186 4

84.7

284.4

5117

187.6

140.4

135.8

68.4

662.7

#### Notes and definitions

1 Mortality rate per 1,000 live births (aged under 1 year), 2015-2017

2 Directly standardised rate per 100,000 children aged 1-17 years, 2015-2017

3 % children immunised against measles, mumps and

rubella (first dose by age 2 years), 2017/18

4 % children completing a course of immunisation against diphtheria, tetanus, polio, pertussis and Hib by

age 2 years, 2017/18 5 % children in care with up-to-date immunisations, 2018

6 % children achieving a good level of development within Early Years Foundation Stage Profile, 2017/18 7 GCSE attainment: average attainment 8 score, 2017/18

8 GCSE attainment attainment: average attaiment 8 score of children looked after, 2017

9 % not in education, employment or training (NEET) or whose activity is not known as a proportion of total 16-17 year olds known to local authority, 2017

10 Rate per 100,000 of 10-17 year olds receiving their first reprimand, warning or conviction, 2017

11 % of children aged under 16 years living in families in receipt of out of work benefits or tax credits where their reported income is less than 60% median income, 2016 12 Statutory homeless households with dependent children or pregnant women per 1,000 households, 2017/18

Υ

1,130

193

92

777

13 Rate of children looked after at 31 March per 10,000 population aged under 18 years, 2018

14 Crude rate of children aged 0-15 years who were killed or seriously injured in road traffic accidents per 100,000 population, 2015-2017

15 Percentage of live-born babies, born at term, weighing less than 2,500 grams, 2017

16 % school children in Reception year classified as obese, 2017/18

17 % school children in Year 6 classified as obese, 2017/18

18 % children aged 5 years with one or more decayed, missing or filled teeth, 2016/17

19 Crude rate per 100,000 (aged 0-5 years) for hospital admissions for dental caries. 2015/16-2017/18 20 Under 18 conception rate per 1,000 females aged 15-17 years. 2016

21 % of delivery episodes where the mother is aged less than 18 years, 2017/18

69.0

82 5

14.5

116.9

22 Hospital admissions for alcohol-specific conditions under 18 year olds, crude rate per 100,000 population, 2015/16-2017/18

23 Directly standardised rate per 100.000 (aged 15-24 vears) for hospital admissions for substance misuse. 2015/16-2017/18

24 % of mothers smoking at time of delivery, 2017/18

25 % of mothers initiating breastfeeding, 2016/17

26 % of mothers breastfeeding at 6-8 weeks, 2017/18 27 Crude rate per 1,000 (aged 0-4 years) of A&E

attendances, 2017/18 28 Crude rate per 10,000 (aged 0-14 years) for

emergency hospital admissions following injury, 2017/18 29 Crude rate per 10,000 (aged 15-24 years) for emergency hospital admissions following injury, 2017/18 30 Crude rate per 100,000 (aged 0-18 years) for emergency hospital admissions for asthma, 2017/18 31 Crude rate per 100,000 (aged 0-17 years) for hospital

admissions for mental health. 2017/18 32 Directly standardised rate per 100,000 (aged 10-24

years) for hospital admissions for self-harm, 2017/18